



ACCESS ANALYTICAL · ANALYTICAL LABORATORY

Certificate of Analysis

DSIP · 5 mg

Certificate ID

DuP2ijSsn0no4g49

Issued Oct 8, 2026

CLIENT HEEZ Research	SAMPLE DSIP	LOT / BATCH NO. HZ-1008-DSP5-01	LAB SAMPLE NO. AA-261001-0008
MATRIX Lyophilized powder	LABEL CLAIM 5 mg	RECEIVED Oct 1, 2026	TESTED Oct 5, 2026

HPLC PURITY 99.97%	MEASURED CONTENT 5.87 mg	OUTCOME All pass
------------------------------	------------------------------------	----------------------------

RESULTS

TEST	METHOD	RESULT	SPECIFICATION	OUTCOME
HPLC Purity	RP-HPLC-UV, 214 nm	99.97%	>= 95.0%	Pass
HPLC Identity	Retention time vs. reference standard	Confirmed	DSIP	Pass
Quantitation (Net Content)	RP-HPLC-UV, external standard calibration	5.87 mg	Report only	Report
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not detected	Not detected	Pass
Heavy Metals: Arsenic (As)	ICP-MS	< LOQ	NMT 1.5 ppm	Pass
Heavy Metals: Cadmium (Cd)	ICP-MS	< LOQ	NMT 0.5 ppm	Pass
Heavy Metals: Mercury (Hg)	ICP-MS	< LOQ	NMT 1.5 ppm	Pass
Heavy Metals: Lead (Pb)	ICP-MS	< LOQ	NMT 1 ppm	Pass
Heavy Metals: Chromium (Cr)	ICP-MS	< LOQ	NMT 10 ppm	Pass
Sterility	Rapid microbial screen	No growth	No growth	Pass
Endotoxin	LAL kinetic chromogenic (USP <85>)	< 0.05 EU/mL	< 0.25 EU/mL	Pass

Michael Webster

Analyst · Oct 5, 2026



Scan to verify

CERTIFICATE ID DuP2ijSsn0no4g49	ACCESS CODE 56EZENQ7	LAB SAMPLE NO. AA-261001-0008	LOT / BATCH NO. HZ-1008-DSP5-01
DATE RECEIVED Oct 1, 2026	DATE TESTED Oct 5, 2026	DATE ISSUED Oct 8, 2026	VERIFY URL accessanalytical.com/verify/DuP2ijSsn0no4g49

Verify this certificate at accessanalytical.com/verify using the access code above.Results relate only to the sample as received and tested. It may not be reproduced except in full. Access Analytical · info@accessanalytical.com

Access Analytical · address: 15 Thames Valley Rd Unit 4A, Irmo, SC 29063